NYE County NWRPO -Technical Data Report

RID No	Transmitter	Org.	Receiver	Org	. Key word1	Title/Description
4080	Shettel	GMII	Qarc	NYE	H2O	Inductively Coupled Plasma-mass Spectrometry Results
Doc. Date	•••	e QA PROGRAM [OOC	Keyword2	SMP	Reported By Desert Research Institute (water Resource Center, Reno, Nv) On March 5, 2001 To Gmii For Ewdp Water Samples (hydrogeochemistry)
Entry Date	4/24/2001 Detailed Doc. Typ	oe DATA		Keyword3	ANALYSES	
Data Originator Preparer	Rick Stone					
Title of Data	Inductively Coupled Plasma-Mass Spectrometry Results Reported by Desert Research Institute (Water Resource Center, Reno, NV) on March 5, 2001 to GMII for EWDP Water Samples (hydrogeochemistry)					
Description of Data	An MS Excel file (DRI05march01.xls) contains site names, sampling dates, GMII sample IDs, DRI laboratory numbers, pump depths, sample depths, and analytical data for 51 elements.					
Data Collection Method	Water from the discharge line of a down hole Bennett pump (after at least 3 well bore volumes of fluid discharged) was filtered through a 0.45 micron Geotech "dispos-a-filter," collected in a prerinsed 500 mL HDPE bottle, labeled in field, and shipped to laboratory from office.					
Data Location(s)	Nye County Early Warning Drilling Program well sites NC-EWDP-1S, -9SX, -03S, -4PA, -4PB, -5SB, -12PA, -12PB, -12PC, -19D, -19P, -15P, -1DX and -7S at specified depths.					
Data Collection Period(s)	11/8/1999 to 10/26/2000					
Data Source(s)	Original DRI-WRC analyses in RID 4081 and GMII field geochemistry notebook.					
Data Censuring	None					
Data Processing	Data reduction performed by laboratory; data compiled into spreadsheet for distribution by D.L. Shettel of GMII.					
Data Limitations	Water samples are confined to the screened interval of piezometer wells or the packed off interval of Westbay completions. Some analyses are below detection limit given in table (preceded by minus sign).					
Governing	TP-8.1					
QA Docs. Frequency of	As required by PI					
Transmittal						
Direct Questions About Data To-	Don L. Shettel					