## **NYE County NWRPO -Technical Data Report**

11120								
RID	No. Transr	nitter	Org.	Receiver	Org.	Key word1	Title/Description	
682			Nye County NWRPO	QARC	Nye	1DX,	Major ions and metals results from ACZ Laboratories, Inc. for groundwater samples collected at YMP wells 4/25/05 -	
Doc. Dat	e 1/11/2006	General Doc. Typ	e Report		-	geochemistry	4/27/05 and EWDP wells 9/19/05 - 9/29/05.	
	e 1/26/2006	Detailed Doc. Typ	e Lab Data		Keyword3	Alpha, Beta,		
Data Originator Preparer	•	Tony Antalek / Kathy Gilmore						
Title of Data	Major ions and metals results from ACZ Laboratories, Inc. for groundwater samples collected at YMP wells USW WT-1, UE 25 WT#17, and UE 25 WT #3 (4/25/05 - 4/27/05) and EWDP wells NC-EWDP-27P, -16P, -28P, -24P, -29P, -12PA, -12PB, and -1DX deep (9/19/05 - 9/29/05).							
Description of Data	Major ions and metals results from groundwater samples obtained 4/25/05 - 4/27/05 and 9/19/05 - 9/29/05 during sampling events. Data package includes raw data (hard copy and electronic files; posted on nyecounty.com website as "RID6822.xls") and QC reports from ACZ.  Wells sampled and corresponding sample numbers are as follows:  UE 25 WT#3: GWS0100							
Data Collection Method	Groundwater was pumped to the ground surface with a Bennett pump (piston pump operated with nitrogen) at EWDP wells and was bailed at YMP wells. The wells were purged and samples collected, processed, bottled, and shipped to the testing laboratory following standard methods documented in Nye County QA technical procedure TP-8.1 revision 2.							
Data Location(s	NC-EWDP-27P, -16P, -28P, -24P, -29P, -12PA, -12PB, and -1DX deep and YMP wells USW WT-1, UE 25 WT#17, and UE 25 WT#3							
Data Collectio Period(s)								
Data Source(s)	ACZ Laboratories, Inc., Steamboat Springs, CO. Supporting Data: Refer to RID 6735 for field chemistry parameters and scientific notebook # 145 for field notes.							
Data Censoring	None							
Data Processin								
Data Limitation	In bailed we	In bailed wells, three well volumes were not purged prior to sampling.						
	Relative percent difference (RPD) between the blind field duplicate samples (field QA sample) and the original samples are less than acceptable value) for analytes, with two exceptions as follows: NC-EWDP-28P (GWS0113 and GWS0106) aluminum [RPD=53%] and [RPD=41%].							
Governing QA Docs.	TP-8.1 Rev.	2						

## **NYE County NWRPO -Technical Data Report**

Transmitter Org. Receiver Org. RID No. Key word1 Title/Description Nye County Major ions and metals results from ACZ Laboratories, Inc. Gilmore QARC NWRPO for groundwater samples collected at YMP wells 4/25/05 - 4/27/05 and EWDP wells 9/19/05 - 9/29/05. As required by PI Frequency of **Transmittal** Direct Questions Nye County QA Records Center **About Data** To-